

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Florida**

---

**Mid-Year Population Estimates**

**2012**

**Sex**

	<b>Total Pop</b>	
Males	9,309,394	49%
Females	9,733,064	51%
Total	19,042,458	100%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	2,851,558	15%
13 - 19	1,654,082	9%
20 - 24	1,257,586	7%
25 - 29	1,205,487	6%
30 - 39	2,298,111	12%
40 - 49	2,544,065	13%
50 - 59	2,638,079	14%
60+	4,593,490	24%
Total	19,042,458	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	10,885,927	57%
Black, non-Hispanic	2,928,767	15%
Hispanic	4,412,802	23%
Other*	814,962	4%
Total	19,042,458	100%

**2013**

**Sex**

	<b>Total Pop</b>	
Males	9,394,199	48.9%
Females	9,821,249	51.1%
Total	19,215,448	100.0%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	2,870,819	15%
13 - 19	1,647,070	9%
20 - 24	1,274,721	7%
25 - 29	1,221,999	6%
30 - 39	2,311,565	12%
40 - 49	2,504,429	13%
50 - 59	2,689,383	14%
60+	4,695,462	24%
Total	19,215,448	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	10,927,991	57%
Black, non-Hispanic	2,965,463	15%
Hispanic	4,495,143	23%
Other*	826,851	4%
Total	19,215,448	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS Section**

Created: 11/13/13 Revision: 08/27/14
---



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

**THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

#### 2012

Gender	Cases	% Total	Rate
Male	1,837	70.5%	19.7
Female	767	29.5%	7.9
Other/Unknown	0	0.0%	N/A
Total	2,604	100.0%	13.7

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	598	23.0%	5.5
Black, Non-Hispanic	1,409	54.1%	48.1
Hispanic	536	20.6%	12.1
Asian/Pacific Islander	11	0.4%	N/A
Amer. Indian/Alaskan	2	0.1%	N/A
Other/Unknown	48	1.8%	N/A
Total	2,604	100.0%	13.7

Age Groups	Cases	% Total	Rate
0 - 12	2	0.1%	0.1
13 - 19	31	1.2%	1.9
20 - 24	163	6.3%	13.0
25 - 29	232	8.9%	19.2
30 - 39	649	24.9%	28.2
40 - 49	749	28.8%	29.4
50 - 59	546	21.0%	20.7
60+	232	8.9%	5.1
Total	2,604	100.0%	13.7

#### 2013

Gender	Cases	% Total	Rate
Male	2,275	70.7%	24.2
Female	941	29.3%	9.6
Other/Unknown	0	0.0%	N/A
Total	3,216	100.0%	16.7

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	822	25.6%	7.5
Black, Non-Hispanic	1,637	50.9%	55.2
Hispanic	689	21.4%	15.3
Asian/Pacific Islander	25	0.8%	N/A
Amer. Indian/Alaskan	1	0.0%	N/A
Other/Unknown	42	1.3%	N/A
Total	3,216	100.0%	16.7

Age Groups	Cases	% Total	Rate
0 - 12	3	0.1%	0.1
13 - 19	31	1.0%	1.9
20 - 24	173	5.4%	13.6
25 - 29	322	10.0%	26.4
30 - 39	771	24.0%	33.4
40 - 49	975	30.3%	38.9
50 - 59	690	21.5%	25.7
60+	251	7.8%	5.3
Total	3,216	100.0%	16.7

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

**THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

## 2012

Gender	Cases	% Total	Rate
Male	3,370	76.1%	36.2
Female	1,057	23.9%	10.9
Other/Unknown	0	0.0%	N/A
Total	4,427	100.0%	23.2

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	1,263	28.5%	11.6
Black, Non-Hispanic	2,075	46.9%	70.8
Hispanic	1,013	22.9%	23.0
Asian/Pacific Islander	43	1.0%	N/A
Amer. Indian/Alaskan	5	0.1%	N/A
Other/Unknown	28	0.6%	N/A
Total	4,427	100.0%	23.2

Age Groups	Cases	% Total	Rate
0 - 12	18	0.4%	0.6
13 - 19	185	4.2%	11.2
20 - 24	641	14.5%	51.0
25 - 29	580	13.1%	48.1
30 - 39	969	21.9%	42.2
40 - 49	1,066	24.1%	41.9
50 - 59	689	15.6%	26.1
60+	279	6.3%	6.1
Total	4,427	100.0%	23.2

## 2013

Gender	Cases	% Total	Rate
Male	4,451	76.3%	47.4
Female	1,379	23.7%	14.0
Other/Unknown	0	0.0%	N/A
Total	5,830	100.0%	30.3

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	1,739	29.8%	15.9
Black, Non-Hispanic	2,483	42.6%	83.7
Hispanic	1,512	25.9%	33.6
Asian/Pacific Islander	59	1.0%	N/A
Amer. Indian/Alaskan	4	0.1%	N/A
Other/Unknown	33	0.6%	N/A
Total	5,830	100.0%	30.3

Age Groups	Cases	% Total	Rate
0 - 12	22	0.4%	0.8
13 - 19	184	3.2%	11.2
20 - 24	726	12.5%	57.0
25 - 29	786	13.5%	64.3
30 - 39	1,338	23.0%	57.9
40 - 49	1,431	24.5%	57.1
50 - 59	955	16.4%	35.5
60+	388	6.7%	8.3
Total	5,830	100.0%	30.3

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,239	90.2%	13.3	0 - 12	0	0.0%	0.0
Female	135	9.8%	1.4	13 - 19	89	6.5%	5.4
Other/Unknown	0	0.0%	N/A	20 - 24	296	21.5%	23.5
Total	1,374	100.0%	7.2	25 - 29	222	16.2%	18.4
				30 - 39	316	23.0%	13.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	280	20.4%	11.0
White, Non-Hispanic	459	33.4%	4.2	50 - 59	135	9.8%	5.1
Black, Non-Hispanic	524	38.1%	17.9	60+	36	2.6%	0.8
Hispanic	340	24.7%	7.7	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	17	1.2%	N/A	Total	1,374	100.0%	7.2
Amer. Indian/Alaskan	3	0.2%	N/A				
Other/Unknown	31	2.3%	N/A				
Total	1,374	100.0%	7.2				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,383	91.2%	14.7	0 - 12	0	0.0%	0.0
Female	133	8.8%	1.4	13 - 19	97	6.4%	5.9
Other/Unknown	0	0.0%	N/A	20 - 24	329	21.7%	25.8
Total	1,516	100.0%	7.9	25 - 29	250	16.5%	20.5
				30 - 39	346	22.8%	15.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	303	20.0%	12.1
White, Non-Hispanic	469	30.9%	4.3	50 - 59	146	9.6%	5.4
Black, Non-Hispanic	552	36.4%	18.6	60+	45	3.0%	1.0
Hispanic	375	24.7%	8.3	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	14	0.9%	N/A	Total	1,516	100.0%	7.9
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	104	6.9%	N/A				
Total	1,516	100.0%	7.9				
2013 data provisional.							

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	9,910	51.1%	106.5	0 - 12	0	0.0%	0.0
Female	9,486	48.9%	97.5	13 - 19	4,281	22.1%	258.8
Other/Unknown	0	0.0%	N/A	20 - 24	6,736	34.7%	535.6
Total	19,396	100.0%	101.9	25 - 29	3,525	18.2%	292.4
				30 - 39	2,936	15.1%	127.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1,254	6.5%	49.3
White, Non-Hispanic	4,243	21.9%	39.0	50 - 59	541	2.8%	20.5
Black, Non-Hispanic	11,518	59.4%	393.3	60+	123	0.6%	2.7
Hispanic	1,763	9.1%	40.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	101	0.5%	N/A	Total	19,396	100.0%	101.9
Amer. Indian/Alaskan	26	0.1%	N/A				
Other/Unknown	1,745	9.0%	N/A				
Total	19,396	100.0%	101.9				

  

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	11,178	53.4%	119.0	0-12	0	0.0%	0.0
Female	9,712	46.4%	98.9	13 - 19	4,026	19.2%	244.4
Other/Unknown	51	0.2%	N/A	20 - 24	7,122	34.0%	558.7
Total	20,941	100.0%	109.0	25 - 29	4,002	19.1%	327.5
				30 - 39	3,400	16.2%	147.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1,562	7.5%	62.4
White, Non-Hispanic	4,248	20.3%	38.9	50 - 59	650	3.1%	24.2
Black, Non-Hispanic	11,205	53.5%	377.8	60+	179	0.9%	3.8
Hispanic	1,670	8.0%	37.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	89	0.4%	N/A	Total	20,941	100.0%	109.0
Amer. Indian/Alaskan	19	0.1%	N/A				
Other/Unknown	3,710	17.7%	N/A				
Total	20,941	100.0%	109.0				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	21,990	28.5%	236.2	0 - 12	0	0.0%	0.0
Female	55,212	71.5%	567.3	13 - 19	22,566	29.2%	1364.3
Other/Unknown	7	0.0%	N/A	20 - 24	30,949	40.1%	2461.0
Total	77,209	100.0%	405.5	25 - 29	12,847	16.6%	1065.7
				30 - 39	8,008	10.4%	348.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2,029	2.6%	79.8
White, Non-Hispanic	19,063	24.7%	175.1	50 - 59	645	0.8%	24.4
Black, Non-Hispanic	31,893	41.3%	1089.0	60+	165	0.2%	3.6
Hispanic	8,238	10.7%	186.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	548	0.7%	N/A	Total	77,209	100.0%	405.5
Amer. Indian/Alaskan	100	0.1%	N/A				
Other/Unknown	17,367	22.5%	N/A				
Total	77,209	100.0%	405.5				

  

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	23,518	29.2%	250.3	0-12	0	0.0%	0.0
Female	56,783	70.5%	578.2	13 - 19	21,033	26.1%	1277.0
Other/Unknown	193	0.2%	N/A	20 - 24	32,725	40.7%	2567.2
Total	80,494	100.0%	418.9	25 - 29	14,224	17.7%	1164.0
				30 - 39	9,144	11.4%	395.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2,369	2.9%	94.6
White, Non-Hispanic	19,647	24.4%	179.8	50 - 59	799	1.0%	29.7
Black, Non-Hispanic	31,271	38.8%	1054.5	60+	200	0.2%	4.3
Hispanic	8,904	11.1%	198.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	556	0.7%	N/A	Total	80,494	100.0%	418.9
Amer. Indian/Alaskan	84	0.1%	N/A				
Other/Unknown	20,032	24.9%	N/A				
Total	80,494	100.0%	418.9				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	421	62.0%	4.5	0 - 12	26	3.8%	0.9
Female	258	38.0%	2.7	13 - 19	24	3.5%	0.8
Other/Unknown	0	0.0%	N/A	20 - 24	39	5.7%	1.4
Total	679	100.0%	3.6	25 - 29	35	5.2%	1.2
				30 - 39	105	15.5%	3.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	119	17.5%	4.2
White, Non-Hispanic	174	25.6%	1.6	50 - 59	142	20.9%	5.0
Black, Non-Hispanic	240	35.3%	8.2	60+	189	27.8%	6.6
Hispanic	174	25.6%	3.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	60	8.8%	N/A	Total	679	100.0%	3.6
Amer. Indian/Alaskan	1	0.1%	N/A				
Unknown	30	4.4%	N/A				
Total	679	100.0%	3.6				

  

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	393	60.3%	4.2	0 - 12	24	3.7%	0.8
Female	259	39.7%	2.6	13 - 19	24	3.7%	1.5
Other/Unknown	0	0.0%	N/A	20 - 24	32	4.9%	2.5
Total	652	100.0%	3.4	25 - 29	53	8.1%	4.3
				30 - 39	93	14.3%	4.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	117	17.9%	4.7
White, Non-Hispanic	138	21.2%	1.3	50 - 59	139	21.3%	5.2
Black, Non-Hispanic	242	37.1%	8.2	60+	170	26.1%	3.6
Hispanic	180	27.6%	4.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	90	13.8%	N/A	Total	652	100.0%	3.4
Amer. Indian/Alaskan	2	0.3%	N/A				
Unknown	0	0.0%	N/A				
Total	652	100.0%	3.4				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	44	50.6%	0.5	0 - 12	9	10.3%	0.3
Female	43	49.4%	0.4	13 - 19	6	6.9%	0.4
Other/Unknown	0	0.0%	N/A	20 - 24	8	9.2%	0.6
Total	87	100.0%	0.5	25 - 29	7	8.0%	0.6
				30 - 39	9	10.3%	0.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	16	18.4%	0.6
White, Non-Hispanic	44	50.6%	0.4	50 - 59	9	10.3%	0.3
Black, Non-Hispanic	4	4.6%	0.1	60+	23	26.4%	0.5
Hispanic	29	33.3%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	3.4%	N/A	Total	87	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	7	8.0%	N/A				
Total	87	100.0%	0.5				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	57	50.4%	0.6	0 - 12	3	2.7%	0.1
Female	56	49.6%	0.6	13 - 19	4	3.5%	0.2
Other/Unknown	0	0.0%	N/A	20 - 24	5	4.4%	0.4
Total	113	100.0%	0.6	25 - 29	6	5.3%	0.5
				30 - 39	23	20.4%	1.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	20	17.7%	0.8
White, Non-Hispanic	58	51.3%	0.5	50 - 59	19	16.8%	0.7
Black, Non-Hispanic	4	3.5%	0.1	60+	33	29.2%	0.7
Hispanic	37	32.7%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	2.7%	N/A	Total	113	100.0%	0.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	11	9.7%	N/A				
Total	113	100.0%	0.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	138	56.8%	1.5	0 - 12	1	0.4%	0.0
Female	105	43.2%	1.1	13 - 19	2	0.8%	0.1
Other/Unknown	0	0.0%	N/A	20 - 24	2	0.8%	0.2
Total	243	100.0%	1.3	25 - 29	10	4.1%	0.8
				30 - 39	89	36.6%	3.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	75	30.9%	2.9
White, Non-Hispanic	157	64.6%	1.4	50 - 59	38	15.6%	1.4
Black, Non-Hispanic	40	16.5%	1.4	60+	26	10.7%	0.6
Hispanic	28	11.5%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	2.1%	N/A	Total	243	100.0%	1.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	13	5.3%	N/A				
Total	243	100.0%	1.3				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	192	59.6%	2.0	0 - 12	0	0.0%	0.0
Female	130	40.4%	1.3	13 - 19	1	0.3%	0.1
Other/Unknown	0	0.0%	N/A	20 - 24	5	1.6%	0.4
Total	322	100.0%	1.7	25 - 29	11	3.4%	0.9
				30 - 39	105	32.6%	4.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	113	35.1%	4.5
White, Non-Hispanic	222	68.9%	2.0	50 - 59	56	17.4%	2.1
Black, Non-Hispanic	42	13.0%	1.4	60+	31	9.6%	0.7
Hispanic	27	8.4%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	0.6%	N/A	Total	322	100.0%	1.7
Amer. Indian/Alaskan	3	0.9%	N/A				
Other/Unknown	26	8.1%	N/A				
Total	322	100.0%	1.7				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	10,822	57.5%	116.2	0 - 12	92	0.5%	3.2
Female	7,917	42.1%	81.3	13 - 19	290	1.5%	17.5
Other/Unknown	84	0.4%	N/A	20 - 24	1,414	7.5%	112.4
Total	18,823	100.0%	98.8	25 - 29	1,536	8.2%	127.4
				30 - 39	2,228	11.8%	96.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3,066	16.3%	120.5
White, Non-Hispanic	4,604	24.5%	42.3	50 - 59	6,337	33.7%	240.2
Black, Non-Hispanic	636	3.4%	21.7	60+	3,860	20.5%	84.0
Hispanic	649	3.4%	14.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	102	0.5%	N/A	Total	18,823	100.0%	98.8
Amer. Indian/Alaskan	28	0.1%	N/A				
Other/Unknown	12,804	68.0%	N/A				
Total	18,823	100.0%	98.8				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	11,415	57.9%	121.5	0 - 12	47	0.2%	1.6
Female	8,252	41.8%	84.0	13 - 19	280	1.4%	17.0
Other/Unknown	58	0.3%	N/A	20 - 24	1,602	8.1%	125.7
Total	19,725	100.0%	102.7	25 - 29	1,851	9.4%	151.5
				30 - 39	2,808	14.2%	121.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2,857	14.5%	114.1
White, Non-Hispanic	5,286	26.8%	48.4	50 - 59	6,110	31.0%	227.2
Black, Non-Hispanic	917	4.6%	30.9	60+	4,170	21.1%	88.8
Hispanic	927	4.7%	20.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	63	0.3%	N/A	Total	19,725	100.0%	102.7
Amer. Indian/Alaskan	35	0.2%	N/A				
Other/Unknown	12,497	63.4%	N/A				
Total	19,725	100.0%	102.7				
2013 data provisional.							

Note: Mid-year population estimates are not available for other race/ethnicity groups.

# HIV COUNSELING AND TESTING DATA Florida

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	1,931	87	4.5	Male	179,450	2,926	1.6
Male Sex With Male	35,218	1,756	5.0	Female	216,638	993	0.5
Injecting Drug User	18,286	172	0.9	Unknown	6,949	75	1.1
Sex Partner at Risk	26,344	527	2.0	<b>Total</b>	<b>403,037</b>	<b>3,994</b>	<b>1.0</b>
Child of Woman with HIV/AIDS	910	19	2.1	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	60,079	292	0.5	White	110,706	853	0.8
Sex for Drugs or Money	3,752	36	1.0	Black	181,062	2,125	1.2
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	95,827	900	0.9
Victim of Sexual Assault	10,587	46	0.4	Asian	3,814	21	0.6
Health Care Exposure	0	0	#DIV/0!	Am. Native	746	10	1.3
Heterosexual	226,321	864	0.4	Other	3,119	30	1.0
No Acknowledged Risk	5,172	29	0.6	Unknown	7,763	55	0.7
Unknown	14,405	166	1.2	<b>Total</b>	<b>403,037</b>	<b>3,994</b>	<b>1.0</b>
<b>Total</b>	<b>403,005</b>	<b>3,994</b>	<b>1.0</b>	<b>Total</b>	<b>403,037</b>	<b>3,994</b>	<b>1.0</b>

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	8,626	106	1.2	Male	196,270	3,059	1.6
Male Sex With Male	36,082	1,931	5.4	Female	225,458	1,081	0.5
Injecting Drug User	24,190	157	0.6	Unknown	6,274	57	0.9
Sex Partner at Risk	17,165	553	3.2	<b>Total</b>	<b>428,002</b>	<b>4,197</b>	<b>1.0</b>
Child of Woman with HIV/AIDS	333	4	1.2	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	59,978	319	0.5	White	111,935	811	0.7
Sex for Drugs or Money	4,188	44	1.1	Black	191,823	2,187	1.1
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	106,998	1,057	1.0
Victim of Sexual Assault	2,995	13	#DIV/0!	Asian	4,187	29	0.7
Health Care Exposure	0	0	0.0	Am. Native	947	3	0.3
Heterosexual	242,261	843	0.3	Other	3,224	39	1.2
No Acknowledged Risk	13,139	72	0.5	Unknown	8,888	71	0.8
Unknown	14,471	155	1.1	<b>Total</b>	<b>428,002</b>	<b>4,197</b>	<b>1.0</b>
<b>Total</b>	<b>423,428</b>	<b>4,197</b>	<b>1.0</b>	<b>Total</b>	<b>428,002</b>	<b>4,197</b>	<b>1.0</b>

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Florida

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Race/Ethnicity	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White, not Hispanic	598	23%	822	26%	37.5%	1263	29%	1,739	30%	37.7%	427	26%	376	27%	-11.9%
Black, not Hispanic	1409	54%	1,637	51%	16.2%	2075	47%	2,483	43%	19.7%	955	57%	759	55%	-20.5%
Hispanic	536	21%	689	21%	28.5%	1013	23%	1,512	26%	49.3%	249	15%	188	14%	-24.5%
Asian/Pacific Islander	11	0%	25	1%	127.3%	43	1%	59	1%	37.2%	1	0%	5	0%	400.0%
American Indian/Alaskan Native	2	0%	1	0%	-50.0%	5	0%	4	0%	-20.0%	0	0%	2	0%	#DIV/0!
Not Specified/Other	48	2%	42	1%	-12.5%	28	1%	33	1%	17.9%	39	2%	42	3%	7.7%
Total:	2,604	100%	3,216	100%	23.5%	4,427	100%	5,830	100%	31.7%	1,671	100%	1,372	100%	-17.9%
Gender	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Male	1837	70.5%	2,275	70.7%	23.8%	3370	76.1%	4,451	76.3%	32.1%	1,130	67.6%	919	67.0%	-18.7%
Female	767	29.5%	941	29.3%	22.7%	1057	23.9%	1,379	23.7%	30.5%	541	32.4%	453	33.0%	-16.3%
Total:	2,604	100.0%	3,216	100.0%	23.5%	4,427	100.0%	5,830	100.0%	31.7%	1,671	100.0%	1,372	100.0%	-17.9%
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
0- 2 years	0	0.0%	1	0.0%	#DIV/0!	7	0.2%	15	0.3%	114.3%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	2	0.1%	2	0.1%	0.0%	11	0.2%	7	0.1%	-36.4%	1	0.1%	0	0.0%	-100.0%
13-19 years	31	1.2%	31	1.0%	0.0%	185	4.2%	184	3.2%	-0.5%	4	0.2%	0	0.0%	-100.0%
20-24 years	163	6.3%	173	5.4%	6.1%	641	14.5%	726	12.5%	13.3%	18	1.1%	14	1.0%	-22.2%
25-29 years	232	8.9%	322	10.0%	38.8%	580	13.1%	786	13.5%	35.5%	49	2.9%	35	2.6%	-28.6%
30-39 years	649	24.9%	771	24.0%	18.8%	969	21.9%	1,338	23.0%	38.1%	187	11.2%	132	9.6%	-29.4%
40-44 years	382	14.7%	472	14.7%	23.6%	520	11.7%	680	11.7%	30.8%	170	10.2%	137	10.0%	-19.4%
45-49 years	367	14.1%	503	15.6%	37.1%	546	12.3%	751	12.9%	37.5%	237	14.2%	192	14.0%	-19.0%
50-59 years	546	21.0%	690	21.5%	26.4%	689	15.6%	955	16.4%	38.6%	560	33.5%	511	37.2%	-8.8%
60+ years	232	8.9%	251	7.8%	8.2%	279	6.3%	388	6.7%	39.1%	445	26.6%	351	25.6%	-21.1%
Total:	2,604	100.0%	3,216	100.0%	23.5%	4,427	100.0%	5,830	100.0%	31.7%	1,671	100.0%	1,372	100.0%	-17.9%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	1,109	60.4%	1,460	64.2%	31.7%	2,484	73.9%	3,460	77.9%	39.3%	549	48.6%	457	49.7%	-16.8%
IDU	125	6.8%	141	6.2%	12.8%	96	2.9%	160	3.6%	66.7%	152	13.5%	132	14.4%	-13.2%
MSM/IDU	85	4.6%	83	3.7%	-2.4%	79	2.4%	103	2.3%	30.4%	86	7.6%	60	6.5%	-30.2%
Heterosexual	508	27.7%	582	25.6%	14.6%	697	20.7%	715	16.1%	2.6%	331	29.3%	265	28.8%	-19.9%
Other	8	0.4%	7	0.3%	-12.5%	4	0.1%	3	0.1%	-25.0%	12	1.1%	5	0.5%	-58.3%
Total:	1,835	100.0%	2,273	100.0%	23.9%	3,360	100.0%	4,441	100.0%	32.2%	1,130	100.0%	919	100.0%	-18.7%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	91	11.9%	109	11.6%	19.8%	83	7.9%	113	8.3%	36.1%	107	19.8%	92	20.3%	-14.0%
Heterosexual	662	86.3%	818	87.0%	23.6%	957	91.2%	1,243	90.9%	29.9%	425	78.7%	353	77.9%	-16.9%
Other	14	1.8%	13	1.4%	-7.1%	9	0.9%	11	0.8%	22.2%	8	1.5%	8	1.8%	0.0%
Total:	767	100.0%	940	100.0%	22.6%	1,049	100.0%	1,367	100.0%	30.3%	540	100.0%	453	100.0%	-16.1%
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	2	100%	3	100%	50.0%	18	100%	22	100%	22.2%	1	100%	0	#DIV/0!	-100.0%
Risk not reported/Other	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	#DIV/0!	#DIV/0!
Total:	2	100%	3	100%	50.0%	18	100%	22	100%	22.2%	1	100%	0	#DIV/0!	-100.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	419	N/A	596	N/A	42.2%	973	N/A	1,369	N/A	40.7%	301	N/A	247	N/A	-17.9%
Black MSM*	423	N/A	507	N/A	19.9%	793	N/A	1,025	N/A	29.3%	195	N/A	162	N/A	-16.9%
Hispanic MSM*	321	N/A	410	N/A	27.7%	737	N/A	1,099	N/A	49.1%	123	N/A	90	N/A	-26.8%
white Male IDU**	65	N/A	74	N/A	13.8%	69	N/A	106	N/A	53.6%	58	N/A	53	N/A	-8.6%
Black Male IDU**	85	N/A	84	N/A	-1.2%	59	N/A	77	N/A	30.5%	129	N/A	99	N/A	-23.3%
Hispanic Male IDU**	54	N/A	59	N/A	9.3%	43	N/A	76	N/A	76.7%	44	N/A	33	N/A	-25.0%
white Female IDU**	29	N/A	44	N/A	51.7%	38	N/A	57	N/A	50.0%	28	N/A	28	N/A	0.0%
Black Female IDU**	47	N/A	49	N/A	4.3%	36	N/A	38	N/A	5.6%	62	N/A	52	N/A	-16.1%
Hispanic Female IDU**	11	N/A	12	N/A	9.1%	8	N/A	14	N/A	75.0%	16	N/A	7	N/A	-56.3%
white Male Homeless	1	N/A	3	N/A	200.0%	6	N/A	10	N/A	66.7%	6	N/A	0	N/A	-100.0%
Black Male Homeless	5	N/A	8	N/A	60.0%	11	N/A	12	N/A	9.1%	9	N/A	6	N/A	-33.3%
Hispanic Male Homeless	4	N/A	0	N/A	-100.0%	10	N/A	6	N/A	-40.0%	3	N/A	1	N/A	-66.7%
white Female Homeless	3	N/A	2	N/A	-33.3%	1	N/A	2	N/A	100.0%	0	N/A	3	N/A	#DIV/0!
Black Female Homeless	3	N/A	1	N/A	-66.7%	5	N/A	2	N/A	-60.0%	0	N/A	1	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	1	N/A	#DIV/0!	3	N/A	1	N/A	-66.7%	1	N/A	0	N/A	-100.0%
Male Haitian Born	117	N/A	131	N/A	12.0%	151	N/A	143	N/A	-5.3%	51	N/A	53	N/A	3.9%
Female Haitian Born	100	N/A	125	N/A	25.0%	138	N/A	148	N/A	7.2%	57	N/A	35	N/A	-38.6%
white Male Youth (ages 13-24)	15	N/A	11	N/A	-26.7%	128	N/A	127	N/A	-0.8%	2	N/A	0	N/A	-100.0%
Black Male Youth (ages 13-24)	89	N/A	104	N/A	16.9%	374	N/A	411	N/A	9.9%	14	N/A	3	N/A	-78.6%
Hispanic Male Youth (ages 13-24)	40	N/A	37	N/A	-7.5%	155	N/A	187	N/A	20.6%	2	N/A	1	N/A	-50.0%
white Female Youth (ages 13-24)	3	N/A	1	N/A	-66.7%	23	N/A	20	N/A	-13.0%	0	N/A	1	N/A	#DIV/0!
Black Female Youth (ages 13-24)	36	N/A	35	N/A	-2.8%	113	N/A	121	N/A	7.1%	4	N/A	9	N/A	125.0%
Hispanic Female Youth (ages 13-24)	5	N/A	9	N/A	80.0%	19	N/A	25	N/A	31.6%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	62	N/A	68	N/A	9.7%	103	N/A	128	N/A	24.3%	17	N/A	25	N/A	47.1%
Black WCBA* (ages 15-44)	321	N/A	353	N/A	10.0%	461	N/A	533	N/A	15.6%	165	N/A	104	N/A	-37.0%
Hiapanic WCBA* (ages 15-44)	47	N/A	72	N/A	53.2%	87	N/A	133	N/A	52.9%	11	N/A	10	N/A	-9.1%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	2	N/A	2	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	2	N/A	3	N/A	50.0%	15	N/A	18	N/A	20.0%	1	N/A	0	N/A	-100.0%
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	48	N/A	66	N/A	37.5%	104	N/A	108	N/A	3.8%	76	N/A	57	N/A	-25.0%

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Florida

Documented Co-morbidity cases in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table In	Prevalence Rate of this Disease per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 102,208				
AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013	36	35.2	5.5%	eHARS	Data through 2013 (data as of 06/30/2013)
Infectious Syphilis reported in 2013 among HIV/AIDS patients	623	609.5	41.1%	PRISM	Data through 2013 (data as of 03/2013)
Gonorrhea reported in 2013 among HIV/AIDS patients	1,101	1,077.2	5.3%	PRISM	Data through 2013 (data as of 03/2013)
Chlamydia reported in 2013 among HIV/AIDS patients	1,136	1,111.5	1.4%	PRISM	Data through 2013 (data as of 03/2013)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in eHARS and/or MERLIN )	8,513	8,329.1	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2013 (data as of 06/30/2013)

Other Factors / Surrogate Markers Documented in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table In	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	548	536.2	eHARS (address variable)	Data through 2013 (data as of 06/30/13)
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g.. alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	14,185	13,878.6	eHARS (local use variable)	Data through 2013 (data as of 06/30/2013)
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	3,480	3,404.8	eHARS (local use variable)	Data through 2013 (data as of 06/30/13)
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	28,068	27,461.6	(PLWHA data)	Data through 2013 (data as of 06/30/2013)
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	8,661	8,473.9	(PLWHA data)	Data through 2013 (data as of 06/30/2013)
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released	Data Source	Date of Data
		Number % HIV+		
Offenders who returned to the Area in 2013	32,000	855 2.7%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	32,726	844 2.6%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	34,135	1,046 3.1%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 02/2012

Section 2 – Table IV: Socio-Economic Data of the General Population  
Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/ Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	535,343	4.7%	1,374,093	9.6%	1,156,900	14.7%
Black	169,002	9.1%	623,982	23.4%	540,600	26.0%
Hispanic	150,390	5.4%	590,568	16.5%	1,057,700	33.2%
Other*	37,117	6.5%	137,200	18.2%	64,000	18.0%
Total	891,852	6.4%	2,725,843	16.9%	2,819,200	23.0%

Selected Socioeconomic Indicators for Florida, (U.S. Census 2000), \*Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:  
<http://www.census.gov/did/www/saipe/data/statecounty/data/2009.html>  
The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/sahie/data/index.html>

<http://www.bls.gov/lau/#tables>  
About 1/3 of the way down the page in the box for ‘Tables and Maps Created by BLS’ and then the zip file under County Data – Table.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Florida.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	16,115	29.5%	13,033	30.2%	29,148	29.8%
Black, not Hispanic	26,570	48.6%	19,550	45.2%	46,120	47.1%
Hispanic	10,909	19.9%	9,846	22.8%	20,755	21.2%
Asian/Pacific Islander	207	0.4%	253	0.6%	460	0.5%
American Indian/Alaskan Native	24	0.0%	48	0.1%	72	0.1%
Not Specified/Other	866	1.6%	495	1.1%	1,361	1.4%
Total:	54,691	100.0%	43,225	100.0%	97,916	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	38,254	69.9%	30,162	69.8%	68,416	69.9%
Female	16,437	30.1%	13,063	30.2%	29,500	30.1%
Total:	54,691	100.0%	43,225	100.0%	97,916	100.0%
Current Age on 12/31/2013 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	20	0.0%	20	0.0%
3-12 years	33	0.1%	159	0.4%	192	0.2%
13-19 years	268	0.5%	446	1.0%	714	0.7%
20-24 years	894	1.6%	2,131	4.9%	3,025	3.1%
25-29 years	1,621	3.0%	3,699	8.6%	5,320	5.4%
30-39 years	6,771	12.4%	9,214	21.3%	15,985	16.3%
40-44 years	6,694	12.2%	5,708	13.2%	12,402	12.7%
45-49 years	10,026	18.3%	6,797	15.7%	16,823	17.2%
50-59 years	19,364	35.4%	10,446	24.2%	29,810	30.4%
60+ years	9,020	16.5%	4,605	10.7%	13,625	13.9%
Total:	54,691	100.0%	43,225	100.0%	97,916	100.0%



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	23,969	62.7%	22,393	74.4%	46,362	67.9%
IDU	3,275	8.6%	1,295	4.3%	4,570	6.7%
MSM/IDU	2,112	5.5%	1,092	3.6%	3,204	4.7%
Heterosexual	8,408	22.0%	5,075	16.9%	13,483	19.7%
Other	472	1.2%	223	0.7%	695	1.0%
<b>Total:</b>	38,236	100.0%	30,078	100.0%	68,314	100.0%
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	2,483	15.1%	1,323	10.2%	3,806	12.9%
Heterosexual	13,394	81.6%	11,382	87.8%	24,776	84.3%
Other	545	3.3%	263	2.0%	808	2.7%
<b>Total:</b>	16,422	100.0%	12,968	100.0%	29,390	100.0%
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	32	97.0%	176	98.3%	208	98.1%
Risk not reported/Other	1	3.0%	3	1.7%	4	1.9%
<b>Total:</b>	33	100.0%	179	100.0%	212	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	12,199	N/A	10,129	N/A	22,328	N/A
Black MSM	6,791	N/A	6,067	N/A	12,858	N/A
Hispanic MSM	6,539	N/A	6,820	N/A	13,359	N/A
white Male IDU	1,609	N/A	814	N/A	2,423	N/A
Black Male IDU	2,474	N/A	964	N/A	3,438	N/A
Hispanic Male IDU	1,206	N/A	572	N/A	1,778	N/A
white Female IDU	751	N/A	525	N/A	1,276	N/A
Black Female IDU	1,361	N/A	596	N/A	1,957	N/A
Hispanic Female IDU	301	N/A	176	N/A	477	N/A
white Male Homeless	83	N/A	146	N/A	229	N/A
Black Male Homeless	198	N/A	246	N/A	444	N/A
Hispanic Male Homeless	90	N/A	195	N/A	285	N/A
white Female Homeless	20	N/A	41	N/A	61	N/A
Black Female Homeless	42	N/A	166	N/A	208	N/A
Hispanic Female Homeless	15	N/A	44	N/A	59	N/A
Male Haitian Born	2,875	N/A	1,214	N/A	4,089	N/A
Female Haitian Born	2,046	N/A	1,405	N/A	3,451	N/A
white Male Youth (current ages 13-24)	59	N/A	300	N/A	359	N/A
Black Male Youth (current ages 13-24)	521	N/A	1,102	N/A	1,623	N/A
Hispanic Male Youth (current ages 13-24)	104	N/A	381	N/A	485	N/A
white Female Youth (current ages 13-24)	42	N/A	94	N/A	136	N/A
Black Female Youth (current ages 13-24)	362	N/A	549	N/A	911	N/A
Hispanic Female Youth (current ages 13-24)	54	N/A	96	N/A	150	N/A
White WCBA* (current ages 15-44)	785	N/A	1,024	N/A	1,809	N/A
Black WCBA* (current ages 15-44)	4,384	N/A	4,804	N/A	9,188	N/A
Hispanic WCBA* (current ages 15-44)	736	N/A	891	N/A	1,627	N/A
White Ped Cases (current ages 0-12)	3	N/A	15	N/A	18	N/A
Black Ped Cases (current ages 0-12)	28	N/A	139	N/A	167	N/A
Hispanic Ped Cases (current ages 0-12)	2	N/A	21	N/A	23	N/A
DOC Cases	2,466	N/A	1,807	N/A	4,273	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Florida

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014					PLWA receiving primary medical services in a 12- month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12- month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12- month period.		Percent of PLWHA IN care and NOT IN care in CY 2013		
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.					PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2013.		Percent of PLWA in care over number PLWA.	Percent of PLWA <u>NOT</u> in care over number PLWA.	Number of PLWA <u>NOT</u> in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.		Percent of PLWH in care over number PLWA.	Percent of PLWH <u>NOT</u> in care over number PLWA.	Number of PLWH <u>NOT</u> in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched withe HARS in 2013		Percent of PLWHA in care over number PLWA.	Percent of PLWHA <u>NOT</u> in care over number PLWA.	Number of PLWHA <u>NOT</u> in care (PLWHA minus PLWHA in care).
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
White, not Hispanic	17,308	13,307	30,615	30.0%		10,705	29.3%	62%	38%	6,603	6,572	33.6%	49%	51%	6,735	17,277	30.8%	56%	44%	13,338
Black, not Hispanic	27,774	19,969	47,743	46.7%		18,180	49.7%	65%	35%	9,594	8,318	42.5%	42%	58%	11,651	26,498	47.2%	56%	44%	21,245
Hispanic	11,857	10,047	21,904	21.4%		6,938	19.0%	59%	41%	4,919	4,297	22.0%	43%	57%	5,750	11,235	20.0%	51%	49%	10,669
Asian/Pacific Islander	234	260	494	0.5%		19	0.1%	8%	92%	215	18	0.1%	7%	93%	242	37	0.1%	7%	93%	457
American Indian/Alaskan Native	26	45	71	0.1%		141	0.4%	542%	-442%	-115	98	0.5%	218%	-118%	-53	239	0.4%	337%	-237%	-168
Not Specified/Other	874	507	1,381	1.4%		590	1.6%	68%	32%	284	271	1.4%	53%	47%	236	861	1.5%	62%	38%	520
Total:	58,073	44,135	102,208	100.0%		36,573	100.0%	63%	37%	21,500	19,574	100.0%	44%	56%	24,561	56,147	100.0%	55%	45%	46,061
Gender	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Male	40,880	30,849	71,729	70.2%		25,096	68.6%	61%	39%	15,784	13,440	68.7%	44%	56%	17,409	38,536	68.6%	54%	46%	33,193
Female	17,193	13,286	30,479	29.8%		11,477	31.4%	67%	33%	5,716	6,134	31.3%	46%	54%	7,152	17,611	31.4%	58%	42%	12,868
Total:	58,073	44,135	102,208	100.0%		36,573	100.0%	63%	37%	21,500	19,574	100.0%	44%	56%	24,561	56,147	100.0%	55%	45%	46,061
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
0- 2 years	0	19	19	0.0%		0	0.0%	#DIV/0!	#DIV/0!	0	13	0.1%	68%	32%	6	13	0.0%	68%	32%	6
3-12 years	33	155	188	0.2%		20	0.1%	61%	39%	13	99	0.5%	64%	36%	56	119	0.2%	63%	37%	69
13-19 years	290	452	742	0.7%		200	0.5%	69%	31%	90	262	1.3%	58%	42%	190	462	0.8%	62%	38%	280
20-24 years	1,016	2,172	3,188	3.1%		724	2.0%	71%	29%	292	1,098	5.6%	51%	49%	1,074	1,822	3.2%	57%	43%	1,366
25-29 years	1,799	3,806	5,605	5.5%		1,266	3.5%	70%	30%	533	1,753	9.0%	46%	54%	2,053	3,019	5.4%	54%	46%	2,586
30-39 years	7,238	9,325	16,563	16.2%		4,731	12.9%	65%	35%	2,507	3,918	20.0%	42%	58%	5,407	8,649	15.4%	52%	48%	7,914
40-44 years	7,057	5,792	12,849	12.6%		4,558	12.5%	65%	35%	2,499	2,354	12.0%	41%	59%	3,438	6,912	12.3%	54%	46%	5,937
45-49 years	10,630	6,924	17,554	17.2%		6,656	18.2%	63%	37%	3,974	3,019	15.4%	44%	56%	3,905	9,675	17.2%	55%	45%	7,879
50-59 years	20,487	10,735	31,222	30.5%		12,853	35.1%	63%	37%	7,634	4,926	25.2%	46%	54%	5,809	17,779	31.7%	57%	43%	13,443
60+ years	9,523	4,755	14,278	14.0%		5,565	15.2%	58%	42%	3,958	2,132	10.9%	45%	55%	2,623	7,697	13.7%	54%	46%	6,581
Total:	58,073	44,135	102,208	100.0%		36,573	100.0%	63%	37%	21,500	19,574	100.0%	44%	56%	24,561	56,147	100.0%	55%	45%	46,061

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014					PLWA receiving primary medical services in a 12- month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12- month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12- month period.		Percent of PLWHA IN care and NOT IN care in CY 2013		
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.					PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2013.		Percent of PLWA in care over number PLWA.	Percent of PLWA <u>NOT</u> in care over number PLWA.	Number of PLWA <u>NOT</u> in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.		Percent of PLWH in care over number PLWA.	Percent of PLWH <u>NOT</u> in care over number PLWA.	Number of PLWH <u>NOT</u> in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched withe HARS in 2013		Percent of PLWHA in care over number PLWA.	Percent of PLWHA <u>NOT</u> in care over number PLWA.	Number of PLWHA <u>NOT</u> in care (PLWHA minus PLWHA in care).
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
MSM	25,605	22,856	48,461	47.4%		15,617	42.7%	61%	39%	9,988	10,232	52.3%	45%	55%	12,624	25,849	46.0%	53%	47%	22,612
IDU	3,564	1,351	4,915	4.8%		2,117	5.8%	59%	41%	1,447	564	2.9%	42%	58%	787	2,681	4.8%	55%	45%	2,234
MSM/IDU	2,463	1,171	3,634	3.6%		1,634	4.5%	66%	34%	829	569	2.9%	49%	51%	602	2,203	3.9%	61%	39%	1,431
Heterosexual	8,736	5,157	13,893	13.6%		5,420	14.8%	62%	38%	3,316	1,904	9.7%	37%	63%	3,253	7,324	13.0%	53%	47%	6,569
Other	494	231	725	0.7%		295	0.8%	60%	40%	199	118	0.6%	51%	49%	113	413	0.7%	57%	43%	312
Total:	40,862	30,766	71,628	70.1%		25,083	68.6%	61%	39%	15,779	13,387	68.4%	44%	56%	17,379	38,470	68.5%	54%	46%	33,158
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
IDU	2,634	1,359	3,993	3.9%		1,742	4.8%	66%	34%	892	708	3.6%	52%	48%	651	2,450	4.4%	61%	39%	1,543
Heterosexual	13,992	11,567	25,559	25.0%		9,345	25.6%	67%	33%	4,647	5,222	26.7%	45%	55%	6,345	14,567	25.9%	57%	43%	10,992
Other	552	268	820	0.8%		383	1.0%	69%	31%	169	145	0.7%	54%	46%	123	528	0.9%	64%	36%	292
Total:	17,178	13,194	30,372	29.7%		11,470	31.4%	67%	33%	5,708	6,075	31.0%	46%	54%	7,119	17,545	31.2%	58%	42%	12,827
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total		PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Mother with/at risk for HIV infection	32	171	244	0.2%		19	0.1%	59%	41%	13	110	0.6%	64%	36%	61	129	0.2%	53%	47%	74
Risk not diagnosed/Other	1	3	0	0.0%		1	0.0%	100%	0%	0	2	0.0%	67%	33%	1	3	0.0%	#DIV/0!	#DIV/0!	1
Total:	33	174	244	0.2%		20	0.1%	61%	39%	13	112	0.6%	64%	36%	0	132	0.2%	54%	46%	75

	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014					PLWA receiving primary medical services in a 12- month period.	PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12- month period.	Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12- month period.	Percent of PLWHA IN care and NOT IN care in CY 2013					
Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.					PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2012.	Percent of PLWA in care over number PLWA.	Percent of PLWA <i>NOT</i> in care over number PLWA.	Number of PLWA <i>NOT</i> in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.		Percent of PLWH in care over number PLWA.	Percent of PLWH <i>NOT</i> in care over number PLWA.	Number of PLWH <i>NOT</i> in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched withe HARS in 2012		Percent of PLWHA in care over number PLWA.	Percent of PLWHA <i>NOT</i> in care over number PLWA.	Number of PLWHA <i>NOT</i> in care (PLWHA minus PLWHA in care).	
Special Populations	PLWA	PLWH	PLWHA	% of Total		PLWA	N/A	% in care	% <i>NOT</i> in care	# <i>NOT</i> in care	PLWH	% of Total	% in care	% <i>NOT</i> in care	# <i>NOT</i> in care	PLWHA	% of Total	% in care	% <i>NOT</i> in care	# <i>NOT</i> in care
White Heterosexual (STATE ONLY)	2467	2,033	4,500	N/A		1618	N/A	66%	34%	849	1020	N/A	50%	50%	1,013	2,638	0	59%	41%	1,862
Hispanic Heterosexual (STATE ONLY)	3419	2,502	5,921	N/A		2102	N/A	61%	39%	1,317	1094	N/A	44%	56%	1,408	3,196	0	54%	46%	2,725
Black Heterosexual (STATE ONLY)	16430	11,918	28,348	N/A		10776	N/A	66%	34%	5,654	4897	N/A	41%	59%	7,021	15,673	0	55%	45%	12,675
Black Heterosexual Males (STATE ONLY)	6409	3,749	10,158	N/A		4018	N/A	63%	37%	2,391	1345	N/A	36%	64%	2,404	5,363	0	53%	47%	4,795
Black Heterosexual Females (STATE ONLY)	10021	8,169	18,190	N/A		6757	N/A	67%	33%	3,264	3552	N/A	43%	57%	4,617	10,309	0	57%	43%	7,881
White MSM	13,162	10,388	23,550	N/A		8,035	N/A	61%	39%	5,127	5,085	N/A	49%	51%	5,303	13,120	0	56%	44%	10,430
Black MSM	7,334	6,271	13,605	N/A		4,822	N/A	66%	34%	2,512	2,569	N/A	41%	59%	3,702	7,391	0	54%	46%	6,214
Hispanic MSM	6,987	6,890	13,877	N/A		4,023	N/A	58%	42%	2,964	2,921	N/A	42%	58%	3,969	6,944	0	50%	50%	6,933
White Male IDU	1,853	845	2,698	N/A		1,189	N/A	64%	36%	664	432	N/A	51%	49%	413	1,621	0	60%	40%	1,077
Black Male IDU	2,639	1,000	3,639	N/A		1,688	N/A	64%	36%	951	417	N/A	42%	58%	583	2,105	0	58%	42%	1,534
Hispanic Male IDU	1,432	637	2,069	N/A		798	N/A	56%	44%	634	258	N/A	41%	59%	379	1,056	0	51%	49%	1,013
White Female IDU	789	518	1,307	N/A		511	N/A	65%	35%	292	303	N/A	58%	42%	215	814	0	62%	38%	507
Black Female IDU	1,415	618	2,033	N/A		962	N/A	68%	32%	307	339	N/A	55%	45%	279	1,301	0	64%	36%	586
Hispanic Female IDU	361	193	554	N/A		214	N/A	59%	41%	89	102	N/A	53%	47%	91	316	0	57%	43%	180
White Male Homeless	49	85	134	N/A		4	N/A	8%	92%	45	5	N/A	6%	94%	80	9	0	7%	93%	125
Black Male Homeless	97	137	234	N/A		15	N/A	15%	85%	82	3	N/A	2%	98%	134	18	0	8%	92%	216
Hispanic Male Homeless	48	132	180	N/A		1	N/A	2%	98%	47	3	N/A	2%	98%	129	4	0	2%	98%	176
White Female Homeless	85	6	91	N/A		1	N/A	1%	99%	84	1	N/A	17%	83%	5	2	0	2%	98%	89
Black Female Homeless	137	24	161	N/A		4	N/A	3%	97%	133	5	N/A	21%	79%	19	9	0	6%	94%	152
Hispanic Female Homeless	132	8	140	N/A		0	N/A	0%	100%	132	0	N/A	0%	100%	8	0	0	0%	100%	140
Male Haitian Born	2,927	1,234	4,161	N/A		1,430	N/A	49%	51%	1,497	353	N/A	29%	71%	881	1,783	0	43%	57%	2,378
Female Haitian Born	2,093	1,401	3,494	N/A		1,232	N/A	59%	41%	861	537	N/A	38%	62%	864	1,769	0	51%	49%	1,725
White Male Youth (current ages 13-24)	70	289	359	N/A		49	N/A	70%	30%	21	157	N/A	54%	46%	132	206	0	57%	43%	153
Black Male Youth (current ages 13-24)	599	1,136	1,735	N/A		414	N/A	69%	31%	185	551	N/A	49%	51%	585	965	0	56%	44%	770
Hispanic Male Youth (current ages 13-24)	130	396	526	N/A		94	N/A	72%	28%	36	206	N/A	52%	48%	190	300	0	57%	43%	226
White Female Youth (current ages 13-24)	50	93	143	N/A		37	N/A	74%	26%	13	58	N/A	62%	38%	35	95	0	66%	34%	48
Black Female Youth (current ages 13-24)	379	557	936	N/A		274	N/A	72%	28%	105	305	N/A	55%	45%	252	579	0	62%	38%	357
Hispanic Female Youth (current ages 13-24)	58	96	154	N/A		38	N/A	66%	34%	20	48	N/A	50%	50%	48	86	0	56%	44%	68
White WCBA* (current ages 15-44)	816	1,011	1,827	N/A		568	N/A	70%	30%	248	557	N/A	55%	45%	454	1,125	0	62%	38%	702
Black WCBA* (current ages 15-44)	4,557	4,849	9,406	N/A		3,145	N/A	69%	31%	1,412	2,050	N/A	42%	58%	2,799	5,195	0	55%	45%	4,211
Hispanic WCBA* (current ages 15-44)	810	926	1,736	N/A		516	N/A	64%	36%	294	432	N/A	47%	53%	494	948	0	55%	45%	788
White Ped Cases (current current ages 0-12)	4	14	18	N/A		3	N/A	75%	25%	1	8	N/A	57%	43%	6	11	0	61%	39%	7
Black Ped Cases (current ages 0-12)	27	136	163	N/A		17	N/A	63%	37%	10	90	N/A	66%	34%	46	107	0	66%	34%	56
Hispanic Ped Cases (current ages 0-12)	2	20	22	N/A		0	N/A	0%	100%	2	12	N/A	60%	40%	8	12	0	55%	45%	10
DOC Cases	2,368	1,759	4,127	N/A		1,684	N/A	71%	29%	684	988	N/A	56%	44%	771	2,672	0	65%	35%	1,455

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU



## ATTACHMENT 6

## FLORIDA Unmet Need Framework Table, 2013

Column 1		Column 2	Column 3	Column 4	Column 5
Population Sizes		Value		Data Source(s)	
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2013 - 12/31/2013	58,073			eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2013 - 12/31/2013	44,135			eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row C.	Total number of HIV+, for the period of 01/01/2013 - 12/31/2013	102,208			
Care Patterns		Value	Percent	Data Source(s)	
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	36,573	63%		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	19,574	44%		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	56,147	55%		
Calculated Results		Value	Percent	Calculation	
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	21,500	37%	Value: Value A - Value D. Percent: Value G/Value A.	
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	24,561	56%	Value: Value B - Value E. Percent: Value H/Value B.	
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	46,061	45%	Value: Value G + Value H. Percent: Value I/Value C	

Florida Department of Health  
2013-13 Ryan White Application

# HIV/AIDS EPIDEMIOLOGY page 1

Attachment 4: AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Florida, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2014		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2014		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	2,032	23%	3,974	28%	17,308	30%	13,307	30%	30,615	30%
Black, not Hispanic	4,700	54%	6,485	46%	27,774	48%	19,969	45%	47,743	47%
Hispanic	1,759	20%	3,452	24%	11,857	20%	10,047	23%	21,904	21%
Asian/Pacific Islander	53	1%	144	1%	234	0%	260	1%	494	0%
American Indian/Alaskan Native	3	0%	10	0%	26	0%	45	0%	71	0%
Not Specified/Other	152	2%	117	1%	874	2%	507	1%	1,381	1%
Total:	8,699	100%	14,182	100%	58,073	100%	44,135	100%	102,208	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	5,995	69%	10,751	76%	40,880	70%	30,849	70%	71,729	70%
Female	2,704	31%	3,431	24%	17,193	30%	13,286	30%	30,479	30%
Total:	8,699	100%	14,182	100%	58,073	100%	44,135	100%	102,208	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	3	0%	40	0%	33	0%	174	0%	207	0%
13-19 years	122	1%	540	4%	290	0%	452	1%	742	1%
20-44 years	4,611	53%	8,591	61%	17,110	29%	21,095	48%	38,205	37%
45+ years	3,963	46%	5,011	35%	40,640	70%	22,414	51%	63,054	62%
Total:	8,699	100%	14,182	100%	58,073	100%	44,135	100%	102,208	100%

Florida Department of Health  
2013 Ryan White Application

# HIV/AIDS EPIDEMIOLOGY page 2

Attachment 4: AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Florida, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new AIDS cases diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	3,707	43%	8,052	57%	25,605	44%	22,856	52%	48,461	48%
IDU	685	8%	589	4%	6,198	11%	2,710	6%	8,908	9%
MSM/IDU	228	3%	238	2%	2,463	4%	1,171	3%	3,634	4%
Heterosexual	3,999	46%	5,220	37%	22,728	39%	16,724	38%	39,452	39%
Other	77	1%	43	0%	1,046	2%	499	1%	1,545	2%
<b>Total:</b>	8,696	100%	14,142	100%	58,040	100%	43,960	100%	102,000	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	3	100%	40	100%	32	97%	171	98%	203	98%
Risk not reported/Other	0	0%	0	0%	1	3%	3	2%	4	2%
<b>Total:</b>	3	100%	40	100%	33	100%	174	100%	207	100%

Florida Department of Health  
2013 Ryan White Application



**FLORIDA**  
**Unmet Need Framework Table, 2011**

**FLORIDA**  
**Unmet Need Framework Table, 2012**

**FLORIDA**  
**Unmet Need Framework Table, 2013**

Population Sizes			Value	Population Sizes			Value	Population Sizes			Value			
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2009 - 12/31/2009	54,889		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2010 - 12/31/2010	56,682		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011	58,073				
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2009 - 12/31/2009	43,809		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2010 - 12/31/2010	44,882		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011	44,135				
Row C.	Total number of HIV+aware, for the period of 01/01/2009 - 12/31/2009	98,698		Row C.	Total number of HIV+aware, for the period of 01/01/2010 - 12/31/2010	101,564		Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011	102,208				
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	37,924	69%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	38,405	68%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	36,573	63%			
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	21,594	49%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	21,836	49%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	19,574	44%			
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	59,518	60%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	60,241	59%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	56,147	55%			
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	16,965	31%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	18,277	32%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	21,500	37%			
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	22,215	51%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	23,046	51%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	24,561	56%			
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	39,180	40%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	41,323	41%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	46,061	45%			

## Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of The Continuum of HIV Care - Florida, 2013

		HIV Infected		HIV Diagnosed		calculated from ehars Linked to Care			In Care This Year			On ART*		Suppressed VL (<200 copies/mL) on ART*		
State	121,387	100%	102,208	84%	87,664	86%	86%	56,147	55%	64%	50,869	50%	91%	35,965	35%	71%
By Sex																
Males	85,189	100%	71,729	84%	61,400	86%	86%	38,536	54%	63%	30,251	42%	79%	24,322	34%	80%
Females	36,198	100%	30,479	84%	26,255	86%	86%	17,611	58%	67%	15,586	51%	89%	11,097	36%	71%
By Race/Ethnicity																
White	36,360	100%	30,615	84%	27,630	90%	90%	17,277	56%	63%	16,085	53%	93%	14,026	46%	87%
Black	56,702	100%	47,743	84%	40,061	84%	84%	26,498	56%	66%	24,378	51%	92%	17,284	36%	71%
Hispanic	26,014	100%	21,904	84%	18,218	83%	83%	11,235	51%	62%	9,505	43%	85%	7,024	32%	74%
By Current Age Group																
13-24 yrs of age	4,667	100%	3,930	84%	3,224	82%	82%	2,284	58%	71%	2,284	58%	100%	1,539	39%	67%
25-49 yrs of age	62,436	100%	52,571	84%	44,191	84%	84%	28,255	54%	64%	25,656	49%	91%	19,216	37%	75%
50+ yrs of age	54,038	100%	45,500	84%	40,049	88%	88%	25,476	56%	64%	22,954	50%	90%	18,707	41%	82%
By Transmission Category**																
IDU	14,895	100%	12,542	84%	11,131	89%	89%	7,334	58%	66%	6,645	53%	91%	4,698	37%	71%
MSM	61,871	100%	52,095	84%	44,770	86%	86%	28,052	54%	63%	25,696	49%	92%	22,175	43%	86%
White MSM	27,969	100%	23,550	84%	21,296	90%	90%	13,120	56%	62%	12,175	52%	93%	10,994	47%	90%
Black MSM	16,158	100%	13,605	84%	11,200	82%	82%	7,391	54%	66%	7,391	54%	100%	6,282	46%	85%
Hispanic MSM	16,481	100%	13,877	84%	11,329	82%	82%	6,944	50%	61%	5,639	41%	81%	4,195	30%	74%
Heterosexual	46,855	100%	39,452	84%	33,404	85%	85%	21,891	55%	66%	19,702	50%	90%	13,969	35%	71%
Heterosexual Males	16,500	100%	13,893	84%	11,580	83%	83%	7,324	53%	63%	6,621	48%	90%	4,654	34%	70%
Heterosexual Females	30,355	100%	25,559	84%	21,827	85%	85%	14,567	57%	67%	13,052	51%	90%	9,319	36%	71%
White Heterosexual	5,344	100%	4,500	84%	4,021	89%	89%	2,638	59%	66%	2,551	57%	97%	1,895	42%	74%
Hispanic Hetersexual	7,032	100%	5,921	84%	5,020	85%	85%	3,196	54%	64%	2,777	47%	87%	2,064	35%	74%
Black Heterosexual	33,667	100%	28,348	84%	23,756	84%	84%	15,673	55%	66%	14,090	50%	90%	9,638	34%	68%
Black Heterosexual Males	12,064	100%	10,158	84%	8,347	82%	82%	5,363	53%	64%	4,816	47%	90%	3,405	34%	71%
Black Heterosexual Females	21,603	100%	18,190	84%	15,409	85%	85%	10,309	57%	67%	9,278	51%	90%	6,170	34%	67%

**HIV Infected** HIV DX + 15.8% estimated unaware (thus 84.2% are aware they are infected)  
**HIV Diagnosed** DX, and living in FL through end of the calendar year  
**Linked to Care** Living in Florida and ever in care (ever had a CD4 or Viral load (VL) test in the electronic HIV/AIDS Reporting System (eHARS))  
**In care this year** Calculated via Unmet Need (based on HRSA unmet need calculation)  
**On ART\*** Estimated 90.6% of In care this year in Florida per 2011 Medical Monitoring Project (MMP) data  
**Suppressed VL (<200 copies /mL)\*** Estimated 78.0% on ART & a suppressed VL (<200 copies /mL) this year in Florida per 2011 MMP data

\* Note: MMP is weighted data and cannot be subsetting to other geographical data, therefore the state estimates are applied to the local areas.

\*\*Note: MSM=MSM and MSM/IDU cases, IDU=IDU and MSM/IDU cases,